

Google patents

biometric software OR code tamper OR resistant C

Search Patents

[Advanced Patent Search](#)

Filing date

 Return patents filed anytime Return patents filed between Jan ▾ 1970 and Jun ▾ 2001

Patents

Patents 1 - 20 on biometric software OR code tamper OR resistant OR obfuscate. (0.07 seconds)

› List view

[Tokenless biometric ATM access system](#)[Cover view](#)

US Pat. 6154879 - Filed Feb 5, 1999 - SmartTouch, Inc.

› Sort by relevance

[Sort by date \(new first\)](#)[Sort by date \(old first\)](#)

› Any status

[Issued patents](#)[Applications](#)[Message Authentication Code Module](#) The Message Authentication **Code** Module's (MACM) tasks ... For convenience the **biometric** group identification **code** is the[Method and apparatus for securely transmitting and authenticating biometric ...](#)

US Pat. 6332193 - Filed Jan 18, 1999 - Sensar, Inc.

An apparatus for collecting and transmitting **biometric** function based on thedata received ... which is activated if the **tamper resistant** package is opened.

...

[Tokenless biometric transaction authorization system](#)

US Pat. 5838812 - Filed Jul 25, 1996 - SmartTouch, LLC

problems inherent in the token and **code** security system. ... that is highlyfraud **resistant**, but nevertheless easy and convenient for the consumer to use.

...

[Tokenless biometric transaction authorization method and system](#)

US Pat. 5870723 - Filed Aug 29, 1996

Each **biometric** input means has a hardware identification **code** previously ...communications port, data entry means encased in **tamper-resistant** case, ...[Tokenless identification system for authorization of electronic transactions ...](#)

US Pat. 5613012 - Filed May 17, 1995 - Smarttouch, LLC.

Each **biometric** input means has a hardware identification **code** previously ... amanual data entry key board or PIC pad) encased in **tamper-resistant** case, ...

Tokenless identification of individuals

US Pat. 5805719 - Filed Mar 18, 1997 - SmartTouch

Encoded **Biometric** Register PIC Register Account Index **Code** Register 65 Title ...

LCD screen RF shielding **tamper-resistant** case serial connection (up to 57.6 ...

Tokenless electronic transaction system

US Pat. 6366682 - Filed Oct 30, 1998 - Indivos Corporation

Encoded **Biometric** Register PIN Register Account Index **Code** Register Amount ...

buttons 2-line 40-column LCD screen RF shielding **tamper-resistant** case serial

...

Biometric tokenless electronic rewards system and method

US Pat. 6980670 - Filed Feb 26, 2001 - Indivos Corporation

24 10 Each GM runs the following **software** components locally for ... the BIA

hardware identification **code** as the DUKPT **tamper resistant** security module (or

...

Multi-factor biometric authenticating device and method

US Pat. 6363485 - Filed Sep 9, 1998 - Entrust Technologies Limited

4 applies an exclusive OR operation on the rightmost bits of 40 the first **code**

word data in the selected **biometric** input to produce the first partial seed ...

Use sensitive identification system

US Pat. 5802199 - Filed Mar 17, 1997 - SmartTouch, LLC

5321,242 to **code** to the personal identification codes and **biometric** Heath, Jr.;

US Pat. No. ... **code** a computer access system that is highly fraud-**resistant** ...

Tokenless biometric electronic debit and credit transactions

US Pat. 6662166 - Filed Jun 11, 2001 - Indivos Corporation

Each PIA conducts one or more of the following operations: gather **biometric**

input from a payor or payee gather a PIN **code** or password from a payor or payee

...

Tamper resistant software-mass data encoding

US Pat. 7350085 - Filed Apr 12, 2001 - Cloakware Corporation

TAMPER RESISTANT SOFTWARE-MASS DATA ENCODING The present invention relates ...

biometric software OR code tamper OR resistant OR...
line of **software code** that tests whether an access attempt should be allowed,

...

Billing system for computing software

US Pat. 5155680 - Filed Apr 27, 1989 - Signal Security Technologies
3 is a **biometric** ID module 164 which is preferably a plug-in compatible board
... or other similar device embedded in a **tamper-resistant** package including a

...

Software licensing and distribution systems and methods employing biometric ...

US Pat. 6015191 - Filed Jul 6, 1999
In preferred embodiments, the **biometric** information storage area, the **biometric** sensor, the match detector, and the 5 storage for the **software** can all be ...

Tokenless biometric electric check transaction

US Pat. 6230148 - Filed Jan 29, 1999 - Veristar Corporation
This private **code** identifies the authorization system to the payor or payee ...
system that is highly **resistant** to fraudulent transaction authorization ...

Tokenless biometric electronic stored value transactions

US Pat. 6192142 - Filed Feb 2, 1999 - Smarttouch, Inc.
Each PIA conducts one or more of the following operations: gather **biometric** input from a payor or payee gather a PIN **code** or password from a payor or payee

...

Remote-auditing of computer generated outcomes, authenticated billing and ...

US Pat. 5970143 - Filed Aug 8, 1996 - Walker Asset Management LP
The **biometric** data stored in memory area 35 is 5 used for player ... **Tamper-resistant** structures may electronically destroy the memory contents of data ...

Tokenless biometric electronic check transactions

US Pat. 6581042 - Filed May 3, 2001 - Indivos Corporation
In one embodiment, a private **code**, which is distinct from a personal ... system that is highly **resistant** to fraudulent transaction authorization attempts by ...

Remote-auditing of computer generated outcomes and authenticated billing and ...

US Pat. 5768382 - Filed Nov 22, 1995 - Walker Asset Management Limited Partnership

biometric software OR code tamper OR resistant OR...

The **biometric** data stored in come information. This is discussed in more ...

Tamper-resistant structures game computer 14 and the central computer 12. ...

Trusted and secure techniques, systems and methods for item delivery and ...

US Pat. 6185683 - Filed Dec 28, 1998 - InterTrust Technologies Corp.

9 and/or may be based on **software tamper-resistance** techniques or a ... and is **tamper resistant** so that an attacker cannot easily obtain and use this ...

Stay up to date on these results using the patents RSS feed on biometric software OR code tamper OR resistant OR obfuscate.

Gooooooogle ►

1 2 3 4 5 6 7 8 Next

biometric software OR code tamper OR resista

Search Patents

Advanced Patent Search

Google Home - About Google - About Google Patents - Google Patents Help

©2010 Google

Google patents

biometric tamper OR resistant OR obfuscate

Search Patents

[Advanced Patent Search](#)

Filing date

 Return patents filed anytime Return patents filed between and

Patents

Patents 1 - 20 on **biometric tamper OR resistant OR obfuscate**. (0.03 seconds)

› List view

[Method and apparatus for securely transmitting and authenticating biometric ...](#)[Cover view](#)

US Pat. 6332193 - Filed Jan 18, 1999 - Sensar, Inc.

› Sort by relevance

An apparatus for collecting and transmitting **biometric** function based on the data received ... which is activated if the **tamper resistant** package is opened.[Sort by date \(new first\)](#)

...

[Sort by date \(old first\)](#)[Tokenless biometric ATM access system](#)

US Pat. 6154879 - Filed Feb 5, 1999 - SmartTouch, Inc.

› Any status

Once a "form message" command is executed, **biometric** and account index code registers ... **tamper-resistant** case, serial connection (up to 57.6 kb), **tamper**[Issued patents](#)

...

[Applications](#)[Tokenless biometric transaction authorization method and system](#)

US Pat. 5870723 - Filed Aug 29, 1996

Each **biometric** input means has a hardware identification code previously ... communications port, data entry means encased in **tamper-resistant** case, ...[Tokenless biometric transaction authorization system](#)

US Pat. 5838612 - Filed Jul 25, 1996 - SmartTouch, LLC

Although more **resistant** to fraud than systems incorporating non-variable codes, such an approach is not 60% virtually fraud-proof because it still relies on ...[Tokenless biometric electronic debit and credit transactions](#)

US Pat. 6662166 - Filed Jun 11, 2001 - Indivos Corporation

A PIN smartcard costs perhaps \$3, and a **biometric** smartcard will cost \$5. ... financial transaction system that is highly fraud-**resistant**, practical, ...

Biometric input device with peripheral port

US Pat. 5987155 - Filed Oct 27, 1997 - Dew Engineering and Development Limited providing **biometric** information to the transducer; detecting a presence of a ...
Preferably, the smart card 5 is of a **tamper** proof design and encryption is ...

Tokenless biometric electric check transaction

US Pat. 6230148 - Filed Jan 29, 1999 - Veristar Corporation ... that relies solely on a payer's **biometric** for transaction authorization, ...
is highly **resistant** to fraudulent access attempts by unauthorized users. ...

Tokenless identification system for authorization of electronic transactions ...

US Pat. 5613012 - Filed May 17, 1995 - Smarttouch, LLC.

Biometric Input Apparatus (BIA) 40 1.1.1. Introduction The BIA is a ... a manual data entry key board or PIC pad) encased in **tamper-resistant** case, ...

Anti-fraud biometric scanner that accurately detects blood flow

US Pat. 5737439 - Filed Oct 29, 1996 - SmartTouch, LLC.

Unfortunately, existing **biometric** scanners can be human> and deception detection ... is processed to determine create fraud-**resistant** **biometric** scanners. ...

Tokenless biometric electronic financial transactions via a third party ...

US Pat. 6950810 - Filed Dec 6, 2000 - Indivos Corporation

A PIN smartcard costs perhaps \$3, and a **biometric** smartcard will cost \$5. ... financial transaction system that is highly fraud-**resistant**, practical, ...

Tokenless electronic transaction system

US Pat. 6366682 - Filed Oct 30, 1998 - Indivos Corporation

11 12 10 15 BIA Standard model has computing module, **biometric** scanner, display means, communications port, data entry means encased in **tamper-resistant** ...

Tokenless biometric electronic stored value transactions

US Pat. 6192142 - Filed Feb 2, 1999 - Smarttouch, Inc.

6 shows the overall preferred flow chart where a **biometric** sample and PIN are ... Preferably, these comprise **tamper**-detect circuitry 12, an enclosure that ...

Tokenless biometric electronic check transactions

US Pat. 6581042 - Filed May 3, 2001 - Indivos Corporation

biometric tamper OR resistant OR obfuscate - Googl...

6 shows the overall preferred flow chart where a **biometric** sample and PIN are used ... the **tamper**-detect circuitry reports that tampering has been detected.

...

Access control and authorization system

US Pat. 6490680 - Filed Dec 4, 1998 - TecSec Incorporated

30 **BIOMETRIC DATA** Another authentication enhancement is the use of biomet- ...
cards and 55 60 65 includes **tamper** resistance and random number generation. ...

Tokenless biometric electronic rewards system

US Pat. 6012039 - Filed Feb 5, 1999 - SmartTouch, Inc.

For PIAs requiring a fingerprint sensor, the PIA has a **biometric** fraud ... 45
Preferably, these comprise **tamper**-detect circuitry, an enclosure that cannot ...

Multi-factor biometric authenticating device and method

US Pat. 6363485 - Filed Sep 9, 1998 - Entrust Technologies Limited

Variability in the user's input **biometric** data is accounted 65 for with no ...
of authentication) precludes the need for costly **tamper**-proofed devices. ...

Tokenless identification of individuals

US Pat. 5805719 - Filed Mar 18, 1997 - SmartTouch

15 16 **Biometric** Registration BIA/Retail Transaction Authorization 1.1.4. ... a
serial port, and a PIC pad encased in a hard **tamper-resistant** case that makes

...

Biometric tokenless electronic rewards system and method

US Pat. 6980670 - Filed Feb 26, 2001 - Indivos Corporation

... code as the DUKPT **tamper resistant** security module (or "TRSM")

Identification, ... **Biometric** Group List In embodiments employing the BSN or BBC

, ...

Use sensitive identification system

US Pat. 5802199 - Filed Mar 17, 1997 - SmartTouch, LLC

Use sensitivity is achieved in this computer 10 the bid **biometric** sample and ...
a manner which makes it difficult to **tamper** with the records the **biometric** ...

Method and apparatus for applying and verifying a biometric-based digital ...

US Pat. 6553494 - Filed Jul 21, 1999 - Sensar, Inc.

Alternatively, housing 61 may include one or more **tamper** detectors that will signal ... Camera 22 is employed to obtain the raw images of the 20 **biometric**

...

◀ Stay up to date on these results using the patents RSS feed on **biometric tamper OR resistant OR obfuscate**.

Go0000000000gle ►

1 2 3 4 5 6 7 8 9 10 [Next](#)

[biometric tamper OR resistant OR obfuscate](#)

[Search Patents](#)

[Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patents](#) - [Google Patents Help](#)

©2010 Google

Google patents

biometric template sample branch tamper OR resis

Search Patents

[Advanced Patent Search](#)

Filing date

 Return patents filed anytime Return patents filed between Jan ▾ 1970 and Jun ▾ 2001

Patents

Patents 1 - 2 on biometric template sample branch tamper OR resistant OR obfuscate. (0.03 seconds)

› List view

[Page back intrusion detection device](#)[Cover view](#)

US Pat. 6580815 - Filed Jul 13, 2000 - Mandylion Research Labs, LLC

› Sort by relevance

This indicates to the user that the **biometric template** commensurate with the user's ... time to a particular secure site, following the lower **branch** of FIG.

...

[Sort by date \(new first\)](#)[Method of authenticating proper access to secured site and device for ...](#)[Sort by date \(old first\)](#)

US Pat. 7127088 - Filed Jul 19, 1999 - Mandylion Research Labs, LLC

› Any status

the user with a **tamper** proof seal in place over the **biometric** input pad ... This 10 indicates to the user that the **biometric template** commensurate with the ...[Issued patents](#)[Applications](#)Stay up to date on these results using [the patents RSS feed on biometric template sample branch tamper OR resistant OR obfuscate](#).

biometric template sample branch tamper OR r

Search Patents

[Advanced Patent Search](#)

Google patents

biometric template sample location tamper OR resi...

Search Patents

[Advanced Patent Search](#)

Filing date

 Return patents filed anytime Return patents filed between Jan ▾ 1970 and Jun ▾ 2001

Patents

Patents 1 - 18 on biometric template sample location tamper OR resistant OR obfuscate. (0.05 seconds)

› List view

[Self-authentication apparatus and method](#)[Cover view](#)

US Pat. 6185316 - Filed Nov 12, 1997 - Unisys Corporation

19 20 compared to the stored **biometric template**, step 875, here stored in credential 860. The live scan **sample** 872 typically does not exactly match the

...

› Sort by relevance

[Method and apparatus for applying and verifying a biometric-based digital ...](#)[Sort by date \(new first\)](#)

US Pat. 6553494 - Filed Jul 21, 1999 - Sensar, Inc.

Alternatively, housing 61 may include one or more **tamper** detectors that will.... Signer 38 provides a **sample** of **biometric** data, or a **sample** known to have

...

› Any status

[Method and apparatus for securely transmitting and authenticating biometric ...](#)[Issued patents](#)

US Pat. 6332193 - Filed Jan 18, 1999 - Sensar, Inc.

The camera's **tamper-resistant**/responsive packaging 25 protects the secret ...the server distills the **biometric** data file into a **biometric template** for use

...

[Applications](#)[Page back intrusion detection device](#)

US Pat. 6580815 - Filed Jul 13, 2000 - Mandylion Research Labs, LLC

Upon completion of this function, processor 24 connects a **location** 10 in ROM ...This indicates to the user that the **biometric template** commensurate with ...[Remote-auditing of computer generated outcomes, authenticated billing and ...](#)

US Pat. 5970143 - Filed Aug 8, 1996 - Walker Asset Management LP

The **tamper** switch 29 is coupled to the cartridge housing 19, ... To preclude player substitution, **biometric** identification devices such as a fingerprint ...

System and method of animal identification and animal transaction ...

US Pat. 6424727 - Filed Nov 9, 1999 - Indian Technologies, Inc.

17 18 produce a **biometric template**, and encrypts it so that the output of the handheld ... It is desirable that an accurate, nonintrusive, and **tamper**-proof

...

Encryption process including a biometric unit

US Pat. 7111173 - Filed Sep 1, 1999 - Tecsec, Inc.

It includes **tamper** resistance and hardware random number generation. ... Subsequent **biometric** readings are compared to this **template** for verification. ...

Travel system and methods utilizing multi-application passenger cards

US Pat. 6085976 - Filed May 22, 1998

This electronic passport- **template** is **tamper** proof while also allowing selected entries to be made later on. The **tamper** proof, electronic pages (eg ...

Access control and authorization system

US Pat. 6490680 - Filed Dec 4, 1998 - TecSec Incorporated

Subsequent **biometric** readings are manipulated in the same way and compared to this **template** using some tolerance value. Tolerance values are different for ...

Travel system and methods utilizing multi-application passport cards

US Pat. 6386451 - Filed May 1, 2000

This electronic passport- **template** is **tamper** proof while also allowing selected entries to be made later on. The **tamper** proof, electronic pages (eg ...

Method of authenticating proper access to secured site and device for ...

US Pat. 7127088 - Filed Jul 19, 1999 - Mandylion Research Labs, LLC

the user with a **tamper** proof seal in place over the **biometric** input pad ... This 10 indicates to the user that the **biometric template** commensurate with the ...

Travel system and methods utilizing multi-application traveler cards

US Pat. 6609658 - Filed May 1, 2000

This electronic passport- **template** is **tamper** proof while also allowing selected entries to be made later on. The **tamper** proof, electronic pages (eg ...

biometric template sample location tamper OR resist...

Computerized voting information system having predefined content and voting ...

US Pat. 5875432 - Filed Feb 15, 1997

Therefore, the resulting process is not only secure, due to the **tamper** ... Block 204.2 displays the voting card **template** and means to support this data ...

Travel system and methods utilizing multi-application airline passenger cards

US Pat. 6910628 - Filed May 10, 2000

This electronic passport- **template** is **tamper** proof while also allowing selected entries to be made later on. The **tamper** proof, electronic pages (eg ...

Authentication system by fingerprint

US Pat. 7162058 - Filed May 25, 2001 - Hitachi, Ltd.

A **biometric** authentication system of the present invention comprises a mobile storage device with a computing function having a **tamper**-resistance; ...

Card system and methods utilizing collector cards

US Pat. 6325292 - Filed Apr 26, 1998

This set of information, which is associated with the card including card data needing authentication, is **tamper** proof and can be loaded into the card only ...

Electronic ticketing system and methods utilizing multi-service visitor cards

US Pat. 6999936 - Filed Apr 26, 1998

The card- 55 based seating data and related ticket information is **tamper** proof ... be displayed onto the card **template**, verified and updated, if necessary. ...

[APPLICATION] Combinations of heparin cofactor II agonist and platelet IIb/IIIa antagonist ...

US Pat. 9802775 - Filed Mar 9, 2001

Heparin serves as a **template** to promote the assembly of the thrombin-antithrombin III complex (TAT) that then binds to exosite 2 on the surface of systemic ...

↗ Stay up to date on these results using the patents RSS feed on biometric template sample location tamper OR resistant OR obfuscate.

biometric template sample location tamper OR

Search Patents

Advanced Patent Search

[Google Home](#) - [About Google](#) - [About Google Patents](#) - [Google Patents Help](#)

©2010 Google